

学校编码: 10384

分类号_____密级_____

学 号: 20720091150036

UDC_____

厦 门 大 学

硕 士 学 位 论 文

高度有序介孔TiO₂薄膜的介观结构及其光生阴极保护性能研究

Investigations on Mesostructure and Photogenerated Cathodic
Protection Properties of Highly-Ordered Mesoporous Titania Thin
Films

周 涵

指导教师姓名: 冯 祖 德 教授

专 业 名 称: 材料物理与化学

论文提交日期: 2 0 1 2 年 月

论文答辩日期: 2 0 1 2 年 月

学位授予日期: 2 0 1 2 年 月

答辩委员会主席: _____

评 阅 人: _____

2012 年 05 月

Investigations on Mesostructure and Photogenerated Cathodic Protection Properties of Highly-Ordered Mesoporous Titania Thin Films



Thesis Submitted to

Xiamen University

In partial fulfillment of the requirement

for the degree of

Master of Engineering

By

Han Zhou

(Materials Physics and Chemistry)

Supervisor: Prof. **Zude Feng**

May, 2012

厦门大学学位论文原创性声明

本人呈交的学位论文是本人在导师指导下,独立完成的研究成果。本人在论文写作中参考其他个人或集体已经发表的研究成果,均在文中以适当方式明确标明,并符合法律规范和《厦门大学研究生学术活动规范(试行)》。

另外,该学位论文为()课题(组)的研究成果,获得()课题(组)经费或实验室的资助,在()实验室完成。(请在以上括号内填写课题或课题组负责人或实验室名称,未有此项声明内容的,可以不作特别声明。)

声明人(签名):

年 月 日

厦门大学学位论文著作权使用声明

本人同意厦门大学根据《中华人民共和国学位条例暂行实施办法》等规定保留和使用此学位论文，并向主管部门或其指定机构送交学位论文（包括纸质版和电子版），允许学位论文进入厦门大学图书馆及其数据库被查阅、借阅。本人同意厦门大学将学位论文加入全国博士、硕士学位论文共建单位数据库进行检索，将学位论文的标题和摘要汇编出版，采用影印、缩印或者其它方式合理复制学位论文。

本学位论文属于：

（ ） 1. 经厦门大学保密委员会审查核定的保密学位论文，
于 年 月 日解密，解密后适用上述授权。

（ ） 2. 不保密，适用上述授权。

（请在以上相应括号内打“√”或填上相应内容。保密学位论文应是已经厦门大学保密委员会审定过的学位论文，未经厦门大学保密委员会审定的学位论文均为公开学位论文。此声明栏不填写的，默认为公开学位论文，均适用上述授权。）

声明人（签名）：

年 月 日

摘要

介孔TiO₂薄膜由于其独特的有序孔道结构和高比表面积特性，已受到越来越多学者的关注，并广泛应用于一系列涉及光电化学反应的研究领域。由于薄膜内部纳米粒子的排布结构与材料的吸附性能、电子传输效率有着密切联系，薄膜制备过程中结构的调控显得尤为重要。因而，有必要对介观结构的表征和形成机理进行深入研究。此外，尽管介孔TiO₂薄膜材料在染料敏化太阳能电池、光催化和自清洁玻璃等方面的应用已经有了一定程度的发展，但其在光生阴极保护方面的研究尚未有人涉及。

本文基于蒸发诱导自组装结合溶胶-凝胶技术原理，以TBT-P123-BuOH-HCl混合液为前驱体溶胶，采用提拉法在高湿度环境下制得TiO₂湿膜，最终经过特殊的热处理工艺获得有序介孔TiO₂薄膜。结合电子显微观察、X射线衍射、吸附测试等表征手段，深入研究了热处理温度对薄膜介观结构演变和吸附润湿性能的影响，初步提出了介孔TiO₂薄膜的自组装和结构转变机理。同时，采用光电化学测试技术对介孔TiO₂薄膜的光生阴极保护性能进行了研究，进一步阐明了介观结构对材料光电性能的影响，主要研究内容和结果如下：

1、利用溶胶-凝胶提拉法在FTO导电玻璃上制备了有序介孔TiO₂薄膜，发现经 350 °C 热处理后，薄膜内部的介孔呈三维六方对称排列(P6₃/mmc空间群)；随着热处理温度升高至 450 °C~500 °C，孔洞沿着垂直基底的方向“首尾相连”形成类似网状的垂直孔道结构；与三维六方结构相比，垂直孔道结构对溶液分子表现出更加优秀的吸附和润湿性能。

2、探讨了薄膜介观结构的自组装和转变机理。研究表明：高湿度环境和低 TBT/P123 体积比是获得三维六方介观相的关键；同时热处理过程中，介孔沿着垂直方向的收缩合并及纳米晶粒的逐渐长大，是垂直孔道结构转变的主要原因。

3、研究了提拉速率对介孔TiO₂薄膜光生阴极保护性能的影响。结果显示：当提拉速率为 100mm/min时，TiO₂薄膜的厚度达到最大值，在光照下对 304 不锈钢起到最佳的光生阴极保护效果。

4、研究了介观结构对介孔TiO₂薄膜光生阴极保护性能的影响。光电化学测试结果表明：垂直孔道结构能显著提高光阳极对空穴捕获剂分子的吸附及光生电子的快速导

出, 使材料表现出明显增强的光电性能。

关键词: 蒸发诱导自组装; 结构转变; 垂直孔道(网状)结构; 有序介孔TiO₂薄膜; 吸附性能; 光生阴极保护

厦门大学博士论文摘要库

Abstract

Mesoporous TiO_2 thin films have attracted much attention from researchers due to their ordered pore structures and properties of high surface area. And these materials are widely applied in the fields involving photoelectric chemical reaction. The structure tailoring during synthesis process is very important since the adsorption capacity and electron transmission efficiency of mesoporous TiO_2 films is greatly influenced by the geometrical arrangement of nanoparticles inside the thin films. Therefore, the deeper research on characterization and formation mechanism of mesostructure shows a high demand for actual applications. And now, mesoporous TiO_2 films have got a developed study in many areas such as dye-sensitized solar cells, photocatalysis and self-cleaning coatings. However, so far as we know, no reports have been made on the photogenerated cathodic protection of such films.

In the present thesis, the synthesis strategy was based on evaporation induced self-assembly (EISA) combined with dip-coating method. The TBT-P123-BuOH-HCl precursors were dip-coated under high relative humidity condition onto the FTO substrates and underwent a special heat-treating process to form the highly ordered mesoporous TiO_2 films. The effects of calcination temperature on the mesostructural transformation, surface adsorption and wettability were investigated through the electron microscopy, diffraction patterns and adsorption-desorption tests. The mechanisms of self-assembly and structural transformation were preliminarily proposed. Meanwhile, the photogenerated cathodic protection property of mesoporous TiO_2 photoanode was also investigated through the photoelectrochemical measurement and the effect of mesostructure on the photoelectric property was further demonstrated. The main contents and results of this work were summarized as follows:

1. Highly ordered mesoporous TiO_2 films were successfully prepared on the FTO substrates by sol-gel dip-coating technique. And it was found that the thin films exhibited 3D hexagonal mesostructure (space group is $P6_3/mmc$) after calcinations at $350\text{ }^\circ\text{C}$. With increasing calcination temperature to $450\sim 500\text{ }^\circ\text{C}$, the mesopores were connected

“end-to-end” along the perpendicular direction, forming a “Grid-like” mesostructure with orthogonal channels. Comparing with the 3D hexagonal mesostructure, the vertical channel-like mesostructure promoted the accessibility and wettability of solution molecules.

2. The mechanisms of self-assembly and structural transformation were investigated. And it was revealed that the high relative humidity atmosphere and low TBT/P123 Volume ratio were crucial for the formation of 3D hexagonal symmetry. Moreover, the 3D hexagonal mesostructure was transformed to the grid-like mesostructure with perpendicular porosity through the pore merging along perpendicular direction and the crystallites growth within the pore walls

3. The effect of pulling speed (in a dip-coating process) on the photogenerated cathodic protection property of mesoporous TiO_2 photoanode was investigated. The obtained results indicated that the thickness of TiO_2 films reached the maximum value at 100mm/min and the most effective photogenerated cathodic protection for 304SS were achieved under irradiation condition.

4. The effect of mesostructure on the photogenerated cathodic protection property of mesoporous TiO_2 photoanode was also investigated. It was deduced from the photoelectrochemical test that the mesostructure with perpendicular channels could facilitate the adsorption of hole-scavenging electrolyte and the transport of photo-excited electrons along the organized pore walls, which greatly enhanced the photoelectric property of highly ordered mesoporous TiO_2 photoanode.

Keywords: EISA; Structural transformation; Vertical grid-like structure; Ordered mesoporous TiO_2 film; Accessibility; Photogenerated cathodic protection

目 录

摘 要	I
Abstract	III
第一章 绪论	1
1.1 有序介孔TiO ₂ 薄膜概述	1
1.1.1 有序介孔材料的发展	1
1.1.2 有序介孔TiO ₂ 薄膜的制备方法	1
1.2 有序介孔TiO ₂ 薄膜的介观结构	4
1.2.1 介观结构的种类	4
1.2.2 介观结构对材料性能的影响	4
1.2.3 介观结构的转变	5
1.3 TiO ₂ 薄膜在光生阴极保护领域中的应用	5
1.3.1 金属腐蚀与防护概述	5
1.3.2 纳米TiO ₂ 薄膜光生阴极保护技术	7
1.3.3 纳米TiO ₂ 薄膜在光生阴极保护中的研究现状	12
1.4 本工作的研究内容和意义	15
参考文献	16
第二章 实验制备技术与表征方法	25

2.1 实验试剂与材料	25
2.2 实验仪器设备	26
2.3 有序介孔TiO ₂ 薄膜的制备	27
2.4 有序介孔TiO ₂ 薄膜的表征	28
2.4.1 扫描电子显微镜(SEM)	28
2.4.2 小角度X射线衍射(SAXD)	28
2.4.3 广角度X射线衍射(WAXD)	28
2.4.4 气体吸附脱附分析	28
2.4.5 指示剂吸附测试	29
2.4.6 润湿性能测试	30
2.5 有序介孔薄膜的光电化学表征	30
2.5.1 光阳极电解池和腐蚀电解池偶联体系的搭建	30
2.5.2 有序介孔薄膜对 304 不锈钢的光生阴极保护性能测试	31
参考文献	34
第三章 有序介孔TiO ₂ 薄膜的介观结构	36
3.1 引言	36
3.2 样品的制备与结构表征	37
3.2.1 不同介观结构TiO ₂ 薄膜的制备	37
3.2.2 有序介孔TiO ₂ 薄膜的介观结构分析	37

3.2.3 有序介孔TiO ₂ 薄膜的氮气吸附脱附分析	40
3.2.4 有序介孔TiO ₂ 薄膜的X射线衍射分析.....	42
3.3 有序介孔薄膜介观结构形成机理和结构转变讨论	44
3.3.1 中间相结构的自组装机理.....	44
3.3.2 介观结构的转变机理.....	45
3.4 不同介观结构吸附性能的评价.....	46
3.4.1 钛铁试剂溶液的吸附.....	46
3.4.2 液接触角测试.....	47
3.5 本章小结	49
参考文献.....	49
第四章 有序介孔TiO₂薄膜的光生阴极保护性能	52
4.1 引言.....	52
4.2 实验部分.....	53
4.3 有序介孔TiO ₂ 薄膜的光生阴极保护性能研究.....	53
4.3.1 提拉速率对薄膜光生阴极保护性能的影响.....	53
4.3.2 介观结构对薄膜光生阴极保护性能的影响.....	56
4.4 本章小结.....	66
参考文献.....	67
第五章 总结与展望.....	69

5.1 本文的主要结论	69
5.2 主要创新点	70
5.3 研究展望	70
攻读硕士期间发表的论文	71
致谢	72

Table of contents

Abstract in Chinese	I
Abstract in English	III
Chapter 1 Introduction	1
1.1 Overview of ordered mesoporous TiO₂ thin films	1
1.1.1 Development of ordered mesoporous materials	1
1.1.2 Preparation methods of ordered TiO ₂ thin films	1
1.2 Mesostructure of ordered mesoporous TiO₂ thin films	4
1.2.1 Type of mesostructure	4
1.2.2 Effect of mesostructure on materials' properties	4
1.2.3 Mesostructural transformation	5
1.3 Application of TiO₂ thin films in photogenerated cathodic protection	5
1.3.1 Introduction on corrosion and protection of metal	5
1.3.2 Photogenerated cathodic protection of TiO ₂ thin films	7
1.3.3 Research status on photogenerated cathodic protection of TiO ₂ thin films	12
1.4 Research contents and significance	15
References	16
Chapter 2 Experimental techniques and characterization methods	25

2.1 Reagents and raw materials	25
2.2 Instruments.....	26
2.3 Preparation of ordered mesoporous TiO₂ thin films	27
2.4 Characterization of ordered mesoporous TiO₂ thin films	28
2.4.1 Scanning electron microscopy (SEM)	28
2.4.2 Small-angle X-ray diffraction (SAXD)	28
2.4.3 Wide-angle X-ray diffraction (WAXD)	28
2.4.4 Gas adsorption-desorption measurements	28
2.4.5 Indicator adsorptions tests	29
2.4.6 Wetting properties tests	30
2.5 Photoelectrochemical characterization of ordered mesoporous thin films.....	30
2.5.1 Building of a coupled system including photoanode cell and corrosion cell.....	30
2.5.2 Photogenerated cathodic protection characterization of ordered mesoporous thin films for 304 stainless steels	31
References.....	34
Chapter 3 Mesostructure of ordered mesoporous TiO₂ thin films	36
3.1 Introduction.....	36
3.2 Preparation and characterization of samples	37
3.2.1 Preparation of TiO ₂ thin films with different mesostructures	37

3.2.2 Mesostructural analysis of ordered mesoporous TiO ₂ thin films.....	37
3.2.3 N ₂ adsorption-desorption analysis of ordered mesoporous TiO ₂ thin films.....	40
3.2.4 X-ray diffraction analysis of ordered mesoporous TiO ₂ thin films	42
3.3 Discussion on the mechanisms for self-assembly and structural transformation of ordered mesoporous thin films.....	44
3.3.1 Self-assembly mechanisms for the intermediate mesostructure.....	44
3.3.2 Mesostructural transformation mechanisms.....	45
3.4 Evaluation of the adsorption properties in different mesostructure	46
3.4.1 Adsorption of TIRON solution	46
3.4.2 Liquid contact angle measurement.....	47
3.5 Conclusions.....	49
References.....	49
 Chapter 4 Photogenerated cathodic protection properties of ordered mesoporous TiO₂ thin films	 52
4.1 Introduction.....	52
4.2 Experiments.....	53
 4.3 Researches on the photogenerated cathodic protection properties of ordered mesoporous TiO₂ thin films	 53
4.3.1 Effect of pulling speeds during dip-coating process	53
4.3.2 Effect of mesostructure	56

4.4 Conclusions	66
References	67
Chapter 5 Conclusions and prospects	69
5.1 Main conclusions of this thesis	69
5.2 Main innovations of this thesis	70
5.3 Prospects	70
Publications during study for Master degree	71
Acknowledgment	72

Degree papers are in the "[Xiamen University Electronic Theses and Dissertations Database](#)". Full texts are available in the following ways:

1. If your library is a CALIS member libraries, please log on <http://etd.calis.edu.cn/> and submit requests online, or consult the interlibrary loan department in your library.
2. For users of non-CALIS member libraries, please mail to etd@xmu.edu.cn for delivery details.

厦门大学博硕士论文摘要库